

L Number	Hits	Search Text	DB	Time stamp
1	1948	anisotropic and compressi\$3 and conductive	USPAT	2004/03/20 19:36
2	0	anisotropic and (resistan\$3 near5 detector) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:36
3	0	anisotropic and (current near5 sensor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:36
4	0	156/583.1.ccls. and (resistance near2 monitor)	USPAT	2004/03/20 19:36
5	1150	anisotropic and (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:36
6	2007	adhesive same (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:36
7	10536	(anisotropic and (adhesive or bond or attachment)) and (resistance or current or voltage near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:36
8	38356	(anisotropic) and (resistance or current or voltage near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:36
9	0	(anisotropic near10 (adhesive or bond or attachment)) and ((resistance or current or voltage) near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1)) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:36
47	0	(electroconductive near10 (adhesive or resin or paste)) and (voltage near5 (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:39
48	0	(electroconductive near10 (adhesive or resin or paste)) and (resistance near5 (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:39
49	0	(electroconductive near10 (adhesive or resin or paste)) and (resistance same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:39
50	0	(electroconductive near10 (adhesive or resin or paste)) and (resistance same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:39
10	101	anisotropic and compressi\$3 and conductive and 156/\$.ccls.	USPAT	2004/03/20 19:40
11	2	("6332709").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:40

12	1168	(156/64).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:40
13	350	(156/351).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:40
14	353	(156/358).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
15	416	(156/359).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
16	209	(156/360).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
17	613	(156/378).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
18	18	anisotropic and 156/64.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
19	20	anisotropic and (156/35\$.ccls. or 156/36\$.ccls. or 156/37\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
20	88	anisotropic and (439/\$.ccls.) and resistan\$3 and control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
21	2	anisotropic and (resistan\$3 near5 sensor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
22	208	anisotropic and (resistan\$3 and sensor)	EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
23	93	anisotropic and (current and sensor)	EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
24	102	anisotropic and (voltage and sensor)	EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
25	4	anisotropic and (current near5 detector) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41

26	4	anisotropic and (current near5 monitor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
27	25	anisotropic and (dielectric near1 constant) and (bond\$1 or bonding\$1)	EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
28	69	anisotropic and (dielectric near2 constant) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:41
29	631	(156/295).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:42
30	3468	((156/290) or (156/291) or (156/297) or (156/299)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:44
31	32	((((156/290) or (156/291) or (156/297) or (156/299)).CCLS.) and anisotropic	USPAT	2004/03/20 19:44
32	962	(156/583.1).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:44
33	6	((156/583.1).CCLS.) and anisotropic	USPAT	2004/03/20 19:44
34	3	156/583.1.ccls. and (resistance near2 detector)	USPAT	2004/03/20 19:44
35	480	anisotropic same (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45
36	4	156/583.1.ccls. and (resistance near2 sensor)	USPAT	2004/03/20 19:45
37	54	(adhesive near2 bond) same (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45
38	412	(anisotropic and (adhesive or bond or attachment)) and (resistance or current or voltage near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1)) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45
39	92	(anisotropic near10 (adhesive or bond or attachment)) and (resistance or current or voltage near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1)) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45
40	26	(anisotropic near10 (adhesive or bond or attachment)) and ((resistance or current or voltage) near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45
41	7	anisotropic and (voltage near5 monitor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45

42	1	anisotropic and (resistan\$3 near5 monitor\$2) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45
43	9	anisotropic and (voltage near5 sensor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45
44	4	anisotropic and (voltage near5 detector) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:45
45	627	156/\$.ccls. and (pressing or pressure or clamp or clamping) and ((resistance or electrical or electric or current or voltage or amp or waveform)near2 (sensor or detector or monitor or monitoring or detecting or sensing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:46
46	3	156/583.1.ccls. and (resistance near2 detect\$3)	USPAT	2004/03/20 19:46
51	3	(conductive near10 (adhesive or resin or paste)) and (resistance same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:46
52	1	(conductive near10 (adhesive or resin or paste)) and (voltage same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:46
53	126	anisotropic same (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 29/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:46
54	2	(conductive near10 (adhesive or resin or paste)) and (current same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:46
55	145	anisotropic and compressi\$3 and conductive and 29/\$.ccls.	USPAT	2004/03/20 19:46
56	103	anisotropic and ((current or voltage or resistance) near5 sensor) and 29/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 19:46